



## SONY IP Videosecurity

### FIXED IP CAMERAS

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNC-CH110S</b>	Extra-compact IP Camera, Silver version, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>215,00</b>
<b>SNC-CH110B</b>	Extra-compact IP Camera, Black version, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>215,00</b>
<b>SNC-CH210S</b>	Extra-compact IP Camera, Silver version, Full HD 1080p @ 15fps, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>364,00</b>
<b>SNC-CH210B</b>	Extra-compact IP Camera, Black version, Full HD 1080p @ 15fps, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>364,00</b>
<b>SNC-EB520</b>	Fixed IP Camera, SVGA (800 x 600) @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>380,00</b>
<b>SNC-CH120</b>	Fixed IP Camera, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>438,30</b>
<b>SNC-CH160</b>	Fixed Outdoor bullet IP Camera, HD 720p @ 30fps, IR lighting, Waterproof IP66, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Focus, Easy Zoom, ONVIF compliant, 1 year PrimeSupport included.	<b>772,00</b>
<b>SNC-CH140</b>	Fixed IP Camera, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>807,00</b>
<b>SNC-CH140/360</b>	SNC-CH140 and 360° Lens.	<b>1 550,00</b>
<b>SNCA-360LENS</b>	360° view panomorph lens for SNC-CH120, SNC-CH220, SNC-CH140, SNC-CH240	<b>790,00</b>
<b>SNC-CH180</b>	Fixed Outdoor bullet IP Camera, HD 720p @ 30fps, IR lighting, Waterproof IP66, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, Easy Zoom, ONVIF compliant, 1 year PrimeSupport included.	<b>1 119,00</b>
<b>SNC-CH220</b>	Fixed IP Camera, Full HD 1080p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>689,00</b>
<b>SNC-CH260</b>	Fixed Outdoor bullet IP Camera, Full HD 1080p @ 30fps, IR lighting, Waterproof IP66, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Focus, Easy Zoom, ONVIF compliant, 1 year PrimeSupport included.	<b>1 072,00</b>





<b>SNC-CH240</b>	Fixed IP Camera, Full HD 1080p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>1 121,00</b>
<b>SNC-CH280</b>	Fixed Outdoor bullet IP Camera, Full HD 1080p @ 30fps, IR lighting, Waterproof IP66, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, Easy Zoom, ONVIF compliant, 1 year PrimeSupport included.	<b>1 343,00</b>
<b>SNC-VB600B</b>	<b>Fixed IP Camera, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264//JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>720,00</b>
<b>SNC-VB600</b>	<b>Fixed IP Camera, HD 720p @ 60fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>920,00</b>
<b>SNC-VB630</b>	<b>Fixed IP Camera, Full HD 1080p @ 60fps, Day/night, CMOS Exmor 1/2.9", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264//JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>1 110,00</b>

#### Fixed IP camera & accessories bundles

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNC-CH210B/POE</b>	SNC-CH210B + SNCA-POE1	<b>431,00</b>
<b>SNC-CH210S/POE</b>	SNC-CH210S + SNCA-POE1	<b>431,00</b>
<b>SNC-CH120/POE</b>	SNC-CH120 + SNCA-POE1	<b>505,00</b>
<b>SNC-CH160/POE</b>	SNC-CH160 + SNCA-POE1	<b>835,00</b>
<b>SNC-CH140/POE</b>	SNC-CH140 + SNCA-POE1	<b>873,00</b>
<b>SNC-CH140/OUTI</b>	SNC-CH140 + SNCA-HFIXSTD/230	<b>1 016,00</b>
<b>SNC-CH140/OUTI</b>	SNC-CH140 + SNCA-HFIXSTD/24	<b>985,00</b>
<b>SNC-CH140/OUTI</b>	SNC-CH140 + SNCA-HFIXSTD/24 + SNCA-PS24/4E	<b>1 119,00</b>
<b>SNC-CH180/POE</b>	SNC-CH180 + SNCA-POE1	<b>1 185,00</b>
<b>SNC-CH220/POE</b>	SNC-CH220 + SNCA-POE1	<b>755,00</b>
<b>SNC-CH260/POE</b>	SNC-CH260 + SNCA-POE1	<b>1 138,00</b>
<b>SNC-CH240/POE</b>	SNC-CH240 + SNCA-POE1	<b>1 188,00</b>
<b>SNC-CH240/OUTI</b>	SNC-CH240 + SNCA-HFIXSTD/230	<b>1 300,00</b>
<b>SNC-CH240/OUTI</b>	SNC-CH240 + SNCA-HFIXSTD/24	<b>1 300,00</b>

#### Fixed mini dome IP cameras

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNC-DH110W</b>	Extra-compact Fixed Mini dome IP Camera, White version, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>245,00</b>





<b>SNC-DH110B</b>	Extra-compact Fixed Mini dome IP Camera, Black version, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>245,00</b>
<b>SNC-DH110TW</b>	Extra-compact Fixed Mini dome IP Camera, White version, Vandal resistant IK10, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>300,00</b>
<b>SNC-DH110TB</b>	Extra-compact Fixed Mini dome IP Camera, Black version, Vandal resistant IK10, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>300,00</b>
<b>SNC-DH210W</b>	Extra-compact Fixed Mini dome IP Camera, White version, Full HD 1080p @ 15fps, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>390,00</b>
<b>SNC-DH210B</b>	Extra-compact Fixed Mini dome IP Camera, Black version, Full HD 1080p @ 15fps, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>390,00</b>
<b>SNC-DH210TW</b>	Extra-compact Fixed Mini dome IP Camera, White version, Vandal resistant IK10, Full HD 1080p @ 15fps, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>440,00</b>
<b>SNC-DH210TB</b>	Extra-compact Fixed Mini dome IP Camera, Black version, Vandal resistant IK10, Full HD 1080p @ 15fps, HD 720p @ 30 fps, Electrical Day/night, CMOS sensor, fixed lens, H264/MPEG-4/JPEG, PoE only, DEPA, ONVIF compliant, 1 year PrimeSupport included.	<b>440,00</b>
<b>SNC-EM520</b>	Fixed Mini dome IP Camera, SVGA (800 x 600) @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>320,00</b>
<b>SNC-EM520</b>	Fixed Mini dome IP Camera, SVGA (800 x 600) @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>320,00</b>
<b>SNC-DH120</b>	Fixed Mini dome IP Camera, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>380,70</b>
<b>SNC-EM521</b>	Fixed Mini dome IP Camera, Vandal resistant IK10, SVGA (800 x 600) @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>415,00</b>
<b>SNC-EM521</b>	Fixed Mini dome IP Camera, Vandal resistant IK10, SVGA (800 x 600) @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>415,00</b>
<b>SNC-DH120T</b>	Fixed Mini dome IP Camera, Vandal resistant IK10, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>517,00</b>





<b>SNC-DH160</b>	Fixed Outdoor Mini dome IP Camera, HD 720p @ 30fps, IR lighting, Vandal resistant IK10, Waterproof IP66, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Focus, Easy Zoom, ONVIF compliant, 1 year PrimeSupport included.	<b>630,80</b>
<b>SNC-DH140</b>	Fixed Mini dome IP Camera, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>871,00</b>
<b>SNC-DH140T</b>	Fixed Mini dome IP Camera, Vandal resistant IK10, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>964,00</b>
<b>SNC-DH180</b>	Fixed Outdoor Mini dome IP Camera, HD 720p @ 30fps, IR lighting, Waterproof IP66, Vandal resistant IK10, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, Easy Zoom, ONVIF compliant, 1 year PrimeSupport included.	<b>1 077,00</b>
<b>SNC-DH220</b>	Fixed Mini dome IP Camera, Full HD 1080p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>649,00</b>
<b>SNC-DH220T</b>	Fixed Mini dome IP Camera, Vandal resistant IK10, Full HD 1080p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>718,00</b>
<b>SNC-DH260</b>	Fixed Outdoor Mini dome IP Camera, Full HD 1080p @ 30fps, IR lighting, Vandal resistant IK10, Waterproof IP66, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, PoE only, DEPA, Easy Focus, Easy Zoom, ONVIF compliant, 1 year PrimeSupport included.	<b>871,00</b>
<b>SNC-DH240</b>	Fixed Mini dome IP Camera, Full HD 1080p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>1 121,00</b>
<b>SNC-DH240T</b>	Fixed Mini dome IP Camera, Vandal resistant IK10, Full HD 1080p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.	<b>1 209,00</b>
<b>SNC-DH280</b>	Fixed Outdoor Mini dome IP Camera, Full HD 1080p @ 30fps, IR lighting, Waterproof IP66, Vandal resistant IK10, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264/MPEG-4/JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, Easy Zoom, ONVIF compliant, 1 year PrimeSupport included.	<b>1 295,00</b>
<b>SNC-VM600B</b>	<b>Fixed Mini dome IP Camera, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264//JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>715,00</b>





<b>SNC-VM600</b>	<b>Fixed Mini dome IP Camera, HD 720p @ 60fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264//JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>920,00</b>
<b>SNC-VM630</b>	<b>Fixed Mini dome IP Camera, Full HD 1080p @ 60fps, Day/night, CMOS Exmor 1/2.9", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264//JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>1 110,00</b>
<b>SNC-VM601B</b>	<b>Fixed Mini dome IP Camera, Vandal resistant IK10, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264//JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>870,00</b>
<b>SNC-VM601</b>	<b>Fixed Mini dome IP Camera, Vandal resistant IK10, HD 720p @ 60fps, Day/night, CMOS Exmor 1/3", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264//JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>1 060,00</b>
<b>SNC-VM631</b>	<b>Fixed Mini dome IP Camera, Vandal resistant IK10, Full HD 1080p @ 60fps, Day/night, CMOS Exmor 1/2.9", View-DR, XDNR, Visibility Enhancer, varifocal lens, H264//JPEG, PoE, DEPA Advanced, Audio, Privacy Masking, Easy Focus, ONVIF compliant, 1 year PrimeSupport included.</b>	<b>1 200,00</b>

**Fixed mini dome IP camera and accessories bundles**

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNC-DH120/POE</b>	<b>SNC-DH120 + SNCA-POE1</b>	<b>448,00</b>
<b>SNC-DH120T/POE</b>	<b>SNC-DH120T + SNCA-POE1</b>	<b>583,00</b>
<b>SNC-DH160/POE</b>	<b>SNC-DH160 + SNCA-POE1</b>	<b>698,00</b>
<b>SNC-DH140/POE</b>	<b>SNC-DH140 + SNCA-POE1</b>	<b>937,00</b>
<b>SNC-DH140T/POE</b>	<b>SNC-DH140T + SNCA-POE1</b>	<b>1 030,00</b>
<b>SNC-DH180/POE</b>	<b>SNC-DH180 + SNCA-POE1</b>	<b>1 143,00</b>
<b>SNC-DH220/POE</b>	<b>SNC-DH220 + SNCA-POE1</b>	<b>716,00</b>
<b>SNC-DH220T/POE</b>	<b>SNC-DH220T + SNCA-POE1</b>	<b>784,00</b>
<b>SNC-DH260/POE</b>	<b>SNC-DH260 + SNCA-POE1</b>	<b>937,00</b>
<b>SNC-DH240/POE</b>	<b>SNC-DH240 + SNCA-POE1</b>	<b>1 187,00</b>
<b>SNC-DH240T/POE</b>	<b>SNC-DH240T + SNCA-POE1</b>	<b>1 276,00</b>

**PTZ IP cameras**

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNC-EP521</b>	<b>340° PTZ IP Indoor Camera, SD resolution, x36 zoom, H.264/MPEG-4/JPEG, DEPA, hPoE, Advanced White Balance, ONVIF Compliant, 1 year PrimeSupport included.</b>	<b>770,00</b>
<b>SNC-EP550</b>	<b>340° PTZ IP Indoor Camera, HD 720p resolution, x28 zoom, H.264/MPEG-4/JPEG, DEPA, hPoE, Advanced White Balance, ONVIF Compliant, 1 year PrimeSupport included.</b>	<b>1 360,00</b>
<b>SNC-EP580</b>	<b>340° PTZ IP Indoor Camera, Full HD 1080p resolution, x20 zoom, H.264/MPEG-4/JPEG, DEPA, hPoE, Advanced White Balance, ONVIF Compliant, 1 year PrimeSupport included.</b>	<b>1 760,00</b>





<b>SNC-ER521</b>	360° Rapid Dome IP Indoor Camera, SD resolution, x36 zoom, H.264/MPEG-4/JPEG, DEPA, hPoE, Advanced White Balance, ONVIF Compliant, 1 year PrimeSupport included.	<b>1 580,00</b>
<b>SNC-ER550</b>	360° Rapid Dome IP Indoor Camera, HD 720p resolution, x28 zoom, H.264/MPEG-4/JPEG, DEPA, hPoE, Advanced White Balance, ONVIF Compliant, 1 year PrimeSupport included.	<b>2 200,00</b>
<b>SNC-ER580</b>	360° Rapid Dome IP Indoor Camera, Full HD 1080p resolution, x20 zoom, H.264/MPEG-4/JPEG, DEPA, hPoE, Advanced White Balance, ONVIF Compliant, 1 year PrimeSupport included.	<b>2 550,00</b>
<b>SNC-ER585</b>	<b>360° Rapid Dome IP Outdoor Camera, Full HD 1080p resolution, x30 zoom, H.264/MPEG-4/JPEG, Waterproof IP66, DEPA, Advanced White Balance, -40° / +60°, Vandal resistant IK10, ONVIF Compliant, 1 year PrimeSupport included.</b>	<b>4 000,00</b>
<b>SNC-RS44P</b>	360° PTZ IP Indoor Camera, SD, x18 zoom, H.264/MPEG-4/JPEG, DEPA Advanced, hPoE, ONVIF Compliant, 1 year PrimeSupport included.	<b>2 303,00</b>
<b>SNC-RS46P</b>	360° PTZ IP Indoor Camera, SD, x36 zoom, H.264/MPEG-4/JPEG, DEPA Advanced, hPoE, ONVIF Compliant, 1 year PrimeSupport included.	<b>2 506,00</b>
<b>SNC-RS84P</b>	360° PTZ IP Outdoor Camera, SD, x18 zoom, Waterproof IP66, Vandal resistant IK10, H.264/MPEG-4/JPEG, DEPA Advanced,, ONVIF Compliant, 1 year PrimeSupport included.	<b>2 783,00</b>
<b>SNC-RS86P</b>	360° PTZ IP Outdoor Camera, SD, x36 zoom, Waterproof IP66, Vandal resistant IK10, H.264/MPEG-4/JPEG, DEPA Advanced, ONVIF Compliant, 1 year PrimeSupport included.	<b>2 754,00</b>
<b>SNC-RH124</b>	360° PTZ IP Indoor Camera, HD 720p @ 30 fps, x10 zoom, H.264/MPEG-4/JPEG, DEPA Advanced, hPoE, ONVIF Compliant, 1 year PrimeSupport included.	<b>2 300,00</b>
<b>SNC-RH164</b>	360° PTZ IP Outdoor Camera, HD 720p @ 30 fps, x10 zoom, Waterproof IP66, Vandal resistant IK10, H.264/MPEG-4/JPEG, DEPA Advanced, ONVIF Compliant, 1 year PrimeSupport included.	<b>2 800,00</b>

#### PTZ IP camera and accessories bundles

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNC-EP521/OUTL</b>	SNC-EP521 + SNCA-HRX550/EXT	<b>1 202,00</b>
<b>SNC-EP550/OUTL</b>	SNC-EP550 + SNCA-HRX550/EXT	<b>1 690,00</b>
<b>SNC-EP580/OUTL</b>	SNC-EP580 + SNCA-HRX550/EXT	<b>2 090,00</b>
<b>SNC-ER521/OUTL</b>	SNC-ER521 + SNCA-HRX550/EXT	<b>1 940,00</b>
<b>SNC-ER550/OUTL</b>	SNC-ER550 + SNCA-HRX550/EXT	<b>2 530,00</b>
<b>SNC-ER580/OUTL</b>	SNC-ER580 + SNCA-HRX550/EXT	<b>2 880,00</b>
<b>SNC-RS44/HPOE</b>	SNC-RS44P + SNCA-HPOE1	<b>2 377,00</b>
<b>SNC-RS46/HPOE</b>	SNC-RS46P + SNCA-HPOE1	<b>2 580,00</b>
<b>SNC-RH124/HPOE</b>	SNC-RH124 + SNCA-HPOE1	<b>2 370,00</b>

#### Encoders

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNT-EX101</b>	1 channel Full Function Box Type Encoder, 4CIF @ 30 fps, H.264/MPEG-4/JPEG, AC 24V, 1 year PrimeSupport included.	<b>527,00</b>
<b>SNT-EX101E</b>	1 channel Full Function Box Type Encoder, 4CIF @ 30 fps, H.264/MPEG-4/JPEG, POE only, 1 year PrimeSupport included.	<b>527,00</b>





<b>SNT-EP104</b>	4 channels Basic Box Type Encoder, 4CIF @ 30 fps, H.264/MPEG-4/JPEG, 12V DC only - AC adaptor (AC-NB12A) supplied, 1 year PrimeSupport included.	<b>710,00</b>
<b>SNT-EP154</b>	4 channels Basic Blade Type Encoder, 4CIF @ 30 fps, H.264/MPEG-4/JPEG, 12V DC only - AC adaptor (AC-NB12A) supplied, 1 year PrimeSupport included.	<b>670,00</b>
<b>SNT-EX104</b>	4 channels Full Function Box Type Encoder, 4CIF @ 30 fps support, H.264/MPEG-4/JPEG, Audio, PTZ Control, Coaxitron support, DEPA Advanced, Powered by SNT-RS1U or RS3U, 1 year PrimeSupport included.	<b>844,00</b>
<b>SNT-EX154</b>	4 channels Full Function Blade Type Encoder, 4CIF @ 30 fps, H.264/MPEG-4/JPEG, Audio, PTZ Control, Coaxitron support, DEPA Advanced, Powered by SNT-RS1U or RS3U, 1 year PrimeSupport included.	<b>784,00</b>
<b>SNT-RS1U</b>	Up to 16 channels Rack for Sony Blade encoders, 1U Rack Mount, 1 year PrimeSupport included.	<b>492,00</b>
<b>SNT-RS3U</b>	Up to 48 channels Rack for Sony Blade encoders, 3U Rack Mount, Redundant PSU (optional), 1 year PrimeSupport included.	<b>1 340,00</b>
<b>SNTA-RP1</b>	Redundant power supply for SNT-RS3U, 1 year PrimeSupport included.	<b>594,00</b>

#### Hybrid Camera

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNC-ZB550</b>	Fixed Hybrid Camera "IP + Analog", HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, DEPA, Easy Focus, ONVIF compliant, Power Supply 12V DC or 24V AC, 1 year PrimeSupport included.	<b>610,00</b>
<b>SNC-ZM550</b>	Fixed Mini dome Hybrid Camera "IP+Analog", HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, Power Supply 12V DC or 24V AC, 1 year PrimeSupport included.	<b>590,00</b>
<b>SNC-ZM551</b>	Fixed Mini dome Hybrid Camera "IP+Analog", Vandal resistant IK10, HD 720p @ 30fps, Day/night, CMOS Exmor 1/3", varifocal lens, H264/MPEG-4/JPEG, DEPA, Easy Zoom, Easy Focus, ONVIF compliant, Power Supply 12V DC or 24V AC, 1 year PrimeSupport included.	<b>690,00</b>
<b>SNC-ZP550</b>	340° PTZ Hybrid Indoor Camera "IP+Analog", HD 720p resolution, x28 zoom, H.264/MPEG-4/JPEG, DEPA, Advanced White Balance, ONVIF Compliant, Power Supply 12V DC or 24V AC, 1 year PrimeSupport included.	<b>1 610,00</b>
<b>SNC-ZR550</b>	360° Rapid Dome Hybrid Indoor Camera "IP+Analog", HD 720p resolution, x28 zoom, H.264/MPEG-4/JPEG, DEPA, Advanced White Balance, ONVIF Compliant, Power Supply 12V DC or 24V AC, 1 year PrimeSupport included.	<b>2 450,00</b>

#### Hybrid Receiver

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>eBridge1CT</b>	Single Channel Ethernet over Coax Transceiver. Compatible with V-series & PTZ models. (X & E series require PoE)	<b>150,00</b>
<b>eBridge1CR</b>	Single Channel Ethernet over Coax Receiver	<b>150,00</b>
<b>SNCA-ZX104</b>	Four Channel Ethernet over Coax Receiver	<b>600,00</b>

#### Software

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>IMZ-NS101M</b>	Realshot Manager Advance - 1 camera software licences	<b>458,00</b>





<b>IMZ-NS104M</b>	Realshot Manager Advance - 4 cameras software licences	<b>955,00</b>
<b>IMZ-NS109M</b>	Realshot Manager Advance - 9 cameras software licences	<b>1 909,00</b>
<b>IMZ-NS116M</b>	Realshot Manager Advance - 16 cameras software licences	<b>3 201,00</b>
<b>IMZ-NS132M</b>	Realshot Manager Advance - 32 camerassoftware licences	<b>4 771,00</b>

#### Network Video Recorders

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>NSR-500</b>	16 channels recorder. Without storage.	<b>2 190,00</b>
<b>NSR-500/1TB</b>	16 channels recorder. With 1TB storage.	<b>2 440,00</b>
<b>NSR-500/2TB</b>	16 channels recorder. With 2TB storage.	<b>2 690,00</b>
<b>NSR-500/4TB</b>	16 channels recorder. With 4TB storage.	<b>3 180,00</b>
<b>NSR-500/8TB</b>	16 channels recorder. With 8TB storage.	<b>4 120,00</b>
<b>NSR-500/12TB</b>	16 channels recorder. With 12TB storage.	<b>5 120,00</b>

#### PrimeSupport Warranty extension

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>PS.SNC.123.1</b>	Prime Support 2 years extension for SNC Products. This product includes a standard Prime Support of one year basis, this extension allows additional 2 year Prime Support (i.e. 3 years in total). This Prime Support includes services such as the exchange in advance for the After Sale Service.	<b>47,00</b>
<b>PS.SNT.123.1</b>	PrimeSupport 2 years extension for SNT Products. This product includes a standard Prime Support of one year basis, this extension allows additional 2 year Prime Support (i.e. 3 years in total). This Prime Support includes services such as the exchange in advance for the After Sale Service.	<b>83,00</b>
<b>PS.SNTV704.123.</b>	#N/D!	<b>133,00</b>
<b>PS.NSR500.123.1</b>	PrimeSupport 2 years extension for NSR-500. This product includes a standard Prime Support of one year basis, this extension allows additional 2 year Prime Support (i.e. 3 years in total). This Prime Support includes services such as the exchange in advance for the After Sale Service.	<b>69,99</b>
<b>PS.NSR500T.123.1</b>	PrimeSupport 2 years extension for NSR-500/1T. This product includes a standard Prime Support of one year basis, this extension allows additional 2 year Prime Support (i.e. 3 years in total). This Prime Support includes services such as the exchange in advance for the After Sale Service.	<b>78</b>
<b>PS.NSR5002T.123.1</b>	PrimeSupport 2 years extension for NSR-500/2T. This product includes a standard Prime Support of one year basis, this extension allows additional 2 year Prime Support (i.e. 3 years in total). This Prime Support includes services such as the exchange in advance for the After Sale Service.	<b>86</b>
<b>PS.NSR5004T.123.1</b>	PrimeSupport 2 years extension for NSR-500/4T. This product includes a standard Prime Support of one year basis, this extension allows additional 2 year Prime Support (i.e. 3 years in total). This Prime Support includes services such as the exchange in advance for the After Sale Service.	<b>102</b>





<b>PS.NSR5008T.12</b> <b>3.1</b>	PrimeSupport 2 years extension for NSR-500/8T This product includes a standard Prime Support of one year basis, this extension allows additional 2 year Prime Support (i.e. 3 years in total). This Prime Support includes services such as the exchange in advance for the After Sale Service.	<b>132</b>
-------------------------------------	---	------------

<b>PS.NSR50012T.1</b> <b>23.1</b>	PrimeSupport 2 years extension for NSR-500/12T. This product includes a standard Prime Support of one year basis, this extension allows additional 2 year Prime Support (i.e. 3 years in total). This Prime Support includes services such as the exchange in advance for the After Sale Service.	<b>164</b>
--------------------------------------	---	------------

### Network Video Recorder accessories

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>NSBK-CL05/04MV</b>	4 cameras software licences for NSR-500	<b>490,00</b>
<b>NSBK-HS05/01</b>	1 TB Hard Disk Drive for NSR-500	<b>245,00</b>
<b>NSBK-HS05/02</b>	2 TB Hard Disk Drive for NSR-500	<b>405,00</b>
<b>NSBK-DH05/TS</b>	<b>Display Accelerator Input Board option for NSR-500 series</b>	<b>785,00</b>
<b>NSBK-EB05/TS</b>	Analogue input board option for NSR-500 series	<b>900,00</b>
<b>NSRE-Si8/1</b>	iSCSI storage unit 8 bay	<b>3 083,00</b>
<b>NSRE-Si16/1</b>	iSCSI storage unit 16 bay	<b>4 109,00</b>
<b>NSRE-SJBOD16/1</b>	JBOD storage unit 16 bay	<b>2 680,00</b>
<b>SNCA-JOYSTICK</b>	USB Joystick for camera, RSM AD and NSR-1000 series	<b>340,00</b>
<b>RM-NS1000</b>	USB Joystick remote control unit	<b>1 397,00</b>
<b>NSR-RM1</b>	Rackmount kit for NSR-1050H/1T, NSR-1100/2T, NSR-1200/4T and NSRE-S200/4T	<b>287,00</b>
<b>NSRE-RM2</b>	Rackmount kit for NSRE-Si8/1	<b>262,00</b>
<b>NSRE-RM3</b>	Rackmount kit for NSRE-Si16/1 and NSRE-SJBOD16/1	<b>263,00</b>
<b>NSR-RACK1</b>	Rackmount kit for NSR-500 series	<b>140,00</b>
<b>NSRE-SASCABLE</b>	SAS Cable	<b>175,00</b>

### Accessories: housings

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNCA-HFIXSTD/2</b>	Fixed Housing, waterproof IP66, AC30V. Additional power supply SNCA-PSVSTD24 is required to power the camera with 24V "(except SNC-CH240 that can only be powered by using PoE with this housing)"	<b>186,00</b>
	Accepts SNC-CH, SNC-CS and SNC-CM series.	
<b>SNCA-HFIXSTD/2</b>	Fixed Housing, waterproof IP66, AC24V. Accepts SNC-CH, SNC-CS and SNC-CM series.	<b>186,00</b>

<b>UNI-ORBC6</b>	<b>Environmental IP66 housing with feed-thru wall/pole mount, dynamic power allocation PoE input, 30 watt midspan included, heater &amp; blower, supports .af PoE cameras and Sony sunshield Shipping dimensions: 20 x 12 x 8.5" LxWxH Weight:3,63 kg</b>	<b>360,00</b>
------------------	---	---------------





<b>SNCA-HRX550/IN</b>	Dome Housing, AC24V. Accepts SNC-RX, SNC-RS and SNC-RH series (indoor models only).	<b>232,00</b>
<b>SNCA-HRX550/EX</b>	Dome Housing, waterproof IP66, AC24V. Accepts SNC-RX, SNC-RS and SNC-RH series (indoor models only).	<b>432,00</b>
<b>SNCA-RX550EXT</b>	Dome Housing, waterproof IP66, DC12V. Accepts SNC-RX, SNC-RS and SNC-RH series (indoor models only).	<b>491,00</b>
<b>SNCA-HRX550EX</b>	Dome Housing, waterproof IP66, vandal resistant IK10, AC24V. Accepts SNC-RX, SNC-RS and SNC-RH series (indoor models only).	<b>550,00</b>
<b>SNCA-HRX550EX</b>	Dome Housing, waterproof IP66, Wireless ready (with optional card), AC24V. Accepts SNC-RX, SNC-RS and SNC-RH series (indoor models only).	<b>654,00</b>
<b>SNCA-HRX550/PF</b>	Dome Housing, waterproof IP67, Pressurised, AC24V. Accepts SNC-RX, SNC-RS and SNC-RH series (indoor models only).	<b>976,00</b>
<b>UNI-ONL7C7</b>	<b>Outdoor 7" Ultra-High PoE dome housing, pendant mount w/ clear dome, 60W midspan for camera and h&amp;b, for SNC-ER/EP &amp; ZR/ZP Series, RH124, RS44 &amp; RS46 cameras</b>	<b>750,00</b>
<b>UNI-OERH124C</b>	<b>UL Class 1- Division 2 Certified Purge Dome explosion proof camera system. compatible with SNC-RH124</b>	<b>7 990,00</b>
<b>UNI-FM4S</b>	<b>Sony fixed camera bracket and cradle. Ideal for fixed box cameras in outdoor domes with Immervision lens Shipping dimensions: 14 x 8 x 6" LxW Weight: 1Lb</b>	<b>70,00</b>
<b>SNCA-CLEAR</b>	Clear replacement capsule for dome camera housings. Compatible with SNCA-HRZ25 and SNCA-HRZ30 housing series.	<b>100,00</b>
<b>SNCA-CLEAR/2</b>	Clear replacement capsule for 7" dome camera housings. Compatible with SNCA-HRZ50 and SNCA-HRX550 housing series.	<b>60,00</b>
<b>SNCA-TINTED</b>	Tinted replacement capsule for dome camera housings. Compatible with SNCA-HRZ25 and SNCA-HRZ30 housing series.	<b>100,00</b>
<b>SNCA-TINTED/2</b>	Tinted replacement capsule for 7" dome camera housings. Compatible with SNCA-HRZ50 and SNCA-HRX550 housing series.	<b>60,00</b>
<b>UNI-LD110S</b>	Tinted replacement capsule for rugged X-Series Mini dome. Compatible with SNC-DH110TB, SNC-DH110TW, SNC-DH210TB and SNC-DH210TW.	<b>40,00</b>
<b>UNI-LD280</b>	Tinted replacement capsule for rugged E-Series Mini dome. Compatible with SNC-DH120T, SNC-DH140T, SNC-DH220T and SNC-DH240T.	<b>85,00</b>
<b>Accessories: mounting hardware</b>		
<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNCA-WM20FC</b>	Gooseneck Wall mount. Compatible with SNCA-HRZ50 and SNCA-HRX550 housing series	<b>124,00</b>





<b>SNCA-WM20G</b>	Gooseneck Wall mount. Compatible with SNCA-HRZ50 and SNCA-HRX550 housing series, and with SNC-RS and SNC-RH series (outdoor models only)	<b>90,00</b>
<b>UNI-WMB3</b>	<b>Sony wall mount w/ removable top cover w/ integrated lanyard connection &amp; 3/4" (27mm) conduit input compatible with SNCA-HRX550 series and UNI-ONL7C7</b>	<b>120,00</b>
<b>SNCA-WM30G</b>	Gooseneck Wall mount. Compatible with SNCA-HRZ50 and SNCA-HRX550 housing series, and with SNC-RS and SNC-RH series (outdoor models only)	<b>378,00</b>
<b>SNCA-WM40</b>	Extended Wall Mount Bracket. Compatible with SNCA-HRZ50 and SNCA-HRX550 housing series, and with SNC-RS and SNC-RH series (outdoor models only)	<b>250,00</b>
<b>UNI-XBS1/T10PCS</b>	<b>Short Silver Wall mounted brackets x 10 pcs. Accepts SNC-CH, SNC-CS and SNC-CM series.</b>	<b>80,00</b>
<b>SNCA-WMFX10P</b>	Wall mounted brackets x 10 pcs. Accepts SNC-CH, SNC-CS and SNC-CM series.	<b>156,00</b>
<b>SNCA-WMMD3</b>	Wall mount bracket for mini-dome cameras. Accepts SNC-DH160, SNC-DH180, SNC-DH260, SNC-DH260, SNC-DS60 and SNC-DM160.	<b>165,00</b>
<b>SNCA-WMMD4</b>	Indoor wall mount bracket for mini-dome and PTZ cameras. Accepts SNC-DH120, SNC-DH120T, SNC-DH140, SNC-DH140T, SNC-DH220, SNC-DH220T, SNC-DH240, SNC-DH240T, SNC-RS44P, SNC-RS46P and SNC-RH124.	<b>73,00</b>
<b>SNCA-CAFIX1</b>	Corner mount bracket. Compatible with SNCA-HFIXSML/230, SNCA-HFIXSML/24, SNCA-HFIXSTD/230, SNCA-HFIXSTD/24.	<b>49,00</b>
<b>SNCA-CA2</b>	Corner mount bracket. Compatible with SNCA-WM20G or SNCA-WM20FC.	<b>75,00</b>
<b>UNI-CMA2</b>	<b>Description: Corner mount accessory for SNCA-WM20FC, SNCA-WM20G, SNCA-WM40 and UNI-WMB3 compatible with SNCA-POWERBOX Shipping dimensions: 13 x 11 x 7" LxWxH Weight: 12 Lbs</b>	<b>140,00</b>
<b>SNCA-PM3</b>	Pole mount adapter bracket. Compatible with SNCA-WM20G or SNCA-WM20FC.	<b>50,00</b>
<b>UNI-WMBB1</b>	<b>Wall / Pole mount back box adaptor for SNCA-WM brackets and UNI-WMB3, cast aluminum, includes straps</b>	<b>75,00</b>
<b>SNCA-PMFIX1</b>	Pole mount adapter bracket. Compatible with SNCA-HFIXSML/230, SNCA-HFIXSML/24, SNCA-HFIXSTD/230, SNCA-HFIXSTD/24.	<b>57,00</b>
<b>UNI-BBB1</b>	Wall and Pole mount bracket for fixed cameras. Accepts SNC-CH160, SNC-CH180, SNC-CH260 and SNC-CH280.	<b>65,00</b>
<b>SNCA-CEILING</b>	Ceiling Mounting kit. Compatible with SNCA-POLE30. Accepts SNCA-HRZ50 and SNCA-HRX550 housing series, SNC-RS and SNC-RH series (outdoor models only)	<b>95,00</b>
<b>SNCA-POLE30</b>	Extension pole for ceiling mount housings. Accepts SNCA-HRZ50 and SNCA-HRX550 housing series, SNC-RS and SNC-RH series (outdoor models only)	<b>60,00</b>





<b>YT-ICB140</b>	In-ceiling Bracket for mini-dome camera. Accepts IP cameras : SNC-DH120, SNC-DH120T, SNC-DH140, SNC-DH140T, SNC-DH220, SNC-DH220T, SNC-DH240, SNC-DH240T.	<b>57,00</b>
<b>YT-ICB45</b>	In-ceiling Bracket for mini-dome camera. Accepts Analogue cameras : SSC-FM531, SSC-FM561, SSC-N20, SSC-N21, SSC-N22, SSC-N24, SSC-CM565R	<b>57,00</b>
<b>YT-ICB124</b>	In-ceiling Bracket for PTZ camera. Accept SNC-RS44P, SNC-RS46P and SNC-RH124.	<b>79,00</b>
<b>YT-ICB600</b>	<b>In-ceiling Bracket for Generation 6 fixed Mini-Domes</b>  <b>Accept SNC-VM600B, SNC-VM601B, SNC-VM600, SNC-VM601, SNC-VM630 and SNC-VM631</b>	<b>90,00</b>
<b>YT-LD124C</b>	Clear replacement capsule for In-ceiling bracket. Compatible with YT-ICB124	<b>105,00</b>
<b>YT-LD124S</b>	Tinted replacement capsule for In-ceiling bracket. Compatible with YT-ICB124	<b>105,00</b>
<b>SNCA-ICPTZ/C</b>	Clear dome In ceiling housing. Accepts SNC-EP, SNC-ER, SNC-RX, SNC-RS and SNC-RH series (indoor models only)	<b>210,00</b>
<b>SNCA-ICPTZ/T</b>	Tinted dome In ceiling housing. Accepts SNC-EP, SNC-ER, SNC-RX, SNC-RS and SNC-RH series (indoor models only)	<b>210,00</b>

#### Accessories: power supply units

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNCA-POE1</b>	1 port PoE midspan.	<b>70,00</b>
<b>SNCA-POE12</b>	12 ports PoE midspan.	<b>642,00</b>
<b>SNCA-POE6</b>	6 ports PoE midspan.	<b>347,00</b>
<b>SNCA-HPOE1</b>	1 port HPoE midspan.	<b>77,00</b>
<b>SNCA-PSVTSM2</b>	Power supply unit, AC24V. Compatible with SNCA-HFIXSML/230.	<b>33,00</b>
<b>SNCA-PSVTSTD2</b>	Power supply unit, AC24V. Compatible with SNCA-HFIXSTD/230.	<b>33,00</b>
<b>SNCA-PS12/1</b>	Power supply unit, DC12V, 1A, indoor.	<b>33,00</b>
<b>SNCA-PS24/1</b>	Power supply unit, AC24V, 1A, indoor.	<b>37,00</b>
<b>SNCA-PS24/4</b>	Power supply unit, AC24V, 4A, indoor.	<b>99,00</b>
<b>SNCA-PS24/4E</b>	Power supply unit, AC24V, 4A, outdoor, waterproof IP66.	<b>140,00</b>
<b>SNCA-POWERBO</b>	Power supply unit, AC24V, 4A, outdoor, waterproof IP66.	<b>295,00</b>

#### Accessories: lighting

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNCA-IR20</b>	IR lighting, indoor use only, 20m range, 30°, PoE/DC12V/AC24V.	<b>364,00</b>
<b>SNCA-IR20/OUTD</b>	IR lighting, outdoor, waterproof IP66, 20m range, 30°, DC12V/AC24V.	<b>364,00</b>
<b>SNCA-IR40/OUTD</b>	IR lighting, outdoor, waterproof IP66, 26-40m range, 30-60°, AC120V/AC240V (external power supply is provided).	<b>520,00</b>





<b>SNCA-IR80/OUTD</b>	IR lighting, outdoor, waterproof IP66, 50-80m range, 120-180°, AC120V/AC240V (external power supply is provided).	<b>2 798,00</b>
<b>SNCA-WL15/OUTI</b>	White light, outdoor, waterproof IP66, 15m range, 30°, DC12V/AC24V.	<b>364,00</b>

#### Accessories: network and connectivity

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNCA-AN1</b>	Wireless Remote Antenna, Compatible with SNCA-CFW1/5.	<b>339,00</b>
<b>SNCA-CFADAPT</b>	Compact Flash to PCMCIA adaptor.	<b>44,00</b>
<b>SNCA-CFW1</b>	Wireless Compact Flash adaptor 802,11b.	<b>167,00</b>
<b>SNCA-CFW5</b>	Wireless Compact Flash adaptor 802,11g. SNCA-CW5 cable is required if used with SNCA-AN1 antenna on a SNC-RS44P, SNC-RS46P or a SNC-RH164.	<b>157,00</b>
<b>SNCA-CW5</b>	Cable kit for antenna SNCA-AN1	<b>257,00</b>

#### Accessories: audio

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SCA-M30</b>	In-ceiling indoor microphone. Easy installation. Anti-vibration system.	<b>236,00</b>
<b>SCA-S30</b>	Outdoor IP66 active speaker, max 35W, AC24V	<b>380,00</b>

#### Accessories: misc

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNCA-CONNECT</b>	Spare part for outdoor housing. Compatible with SNCA-HRZ30, SNCA-HRZ25, SNCA-HRZ50/EXT, SNCA-HRX550/EXT series.	<b>99,00</b>
<b>SNCA-HEATER</b>	Additional heater blower kit.	<b>51,00</b>
<b>YT-HU75</b>	Heater Unit for mini-dome camera, requires a AC24V power. Compatible with SNC-DF80P and SNC-DF85P.	<b>80,00</b>
<b>SNCA-POWER/PC</b>	Spare PS unit for housing. Compatible with SNCA-HRZ30 and SNCA-HRZ50/EXT series.	<b>114,00</b>

### Sony - Analogue Videosecurity

#### Color fixed analogue cameras

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SSC-G103</b>	Color fixed analogue camera, 540 TVL, ATR, electronic Day/Night DC12V or AC24V. Supplied without lens.	<b>127,50</b>
<b>SSC-G108</b>	Color fixed analogue camera, 540 TVL, ATR, electronic Day/Night AC220-240V. Supplied without lens.	<b>135,00</b>
<b>SSC-G113</b>	Color fixed analogue camera, High resolution 650 TVL, ATR, electronic Day/Night DC12V or AC24V. Supplied without lens.	<b>157,08</b>
<b>SSC-G118</b>	Color fixed analogue camera, High resolution 650 TVL, ATR, electronic Day/Night AC220-240V. Supplied without lens.	<b>157,08</b>
<b>SSC-G203</b>	Color fixed analogue camera, 540 TVL, ATR, optical Day/Night DC12V or AC24V. Supplied without lens.	<b>162,18</b>
<b>SSC-G208</b>	Color fixed analogue camera, 540 TVL, ATR, optical Day/Night AC220-240V. Supplied without lens.	<b>176,00</b>





<b>SSC-G213</b>	Color fixed analogue camera, High resolution 650 TVL, ATR, optical Day/Night DC12V or AC24V. Supplied without lens.	<b>191,76</b>
<b>SSC-G218</b>	Color fixed analogue camera, High resolution 650 TVL, ATR, optical Day/Night AC220-240V. Supplied without lens.	<b>195,00</b>
<b>SSC-FB531</b>	Color fixed analogue camera, Effio-P sensor, 650 TVL, electronic Day/Night, Wide-D, Advanced Backlight compensation (iBLC), 2D and 3D noise reduction, Motion detection, high sensitivity, DC12V or AC24V. Supplied without lens.	<b>255,00</b>
<b>SSC-FB561</b>	Color fixed analogue camera, Effio-P sensor, 650 TVL, True Day/Night, Wide-D, Advanced Backlight compensation (iBLC), 2D and 3D noise reduction, Motion detection, high sensitivity, variable gamma, DC12V or AC24V. Supplied without lens.	<b>275,40</b>
<b>SSC-G813</b>	Color fixed analogue camera, 1/2" ExwaveHAD sensor, 540 TVL, Day/Night, 2D and 3D noise reduction, high sensitivity, DC12V or AC24V. Supplied without lens.	<b>411,00</b>
<b>SSC-G818</b>	Color fixed analogue camera, 1/2" ExwaveHAD sensor, 540 TVL, Day/Night, 2D and 3D noise reduction, high sensitivity, AC220V. Supplied without lens.	<b>411,00</b>

#### Color fixed analogue cameras with IR leds embedded

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SSC-YB401R</b>	Color fixed analogue camera with inbuild IR light , fix lense 3,1mm, 540 TV lines, electronical day/night mode, 12V DC, 0,04 Lux sensitivity at night mode.	<b>130,00</b>
<b>SSC-YB411R</b>	Color fixed analogue camera with inbuild IR light , fix lense 6mm, 540 TV lines, electronical day/night mode, 12V DC, 0,04 Lux sensitivity at night mode.	<b>130,00</b>
<b>SSC-YB501R</b>	Color fixed analogue camera with inbuild IR light , fix lense 3,1mm, 650 TV lines, optical day/night mode, 12V DC, 0,04 Lux sensitivity at night mode.	<b>160,00</b>
<b>SSC-YB511R</b>	Color fixed analogue camera with inbuild IR light , fix lense 6mm, 650 TV lines, optical day/night mode, 12V DC, 0,04 Lux sensitivity at night mode.	<b>160,00</b>
<b>SSC-CB461R</b>	Color fixed analogue camera with inbuild IR light, Effio-E sensor, IR Bullet, 540TVL, optical day/night mode, varifocal lens 2.8-10mm, AC24/DC12,, PAL	<b>225,00</b>
<b>SSC-CB561R</b>	Color fixed analogue camerawith inbuild IR light, Effio-E sensor, IR Bullet, 650TVL, optical day/night mode, varifocal lens 2.8-10mm, AC24/DC12,, PAL	<b>240,00</b>
<b>SSC-CB565R</b>	Color fixed camera analogue camera, Effio-E sensor, IR Bullet, 650TVL, optical day/night mode, varifocal lens 2.8-10mm, AC24/DC12, IP66, PAL	<b>325,00</b>
<b>SSC-CB575R</b>	Color fixed camera analogue camera, Effio-E sensor, IR Bullet, 650TVL, optical day/night mode, 9-22mm, AC24/DC12, IP66, PAL	<b>345,00</b>

#### Fixed analogue camera and lens bundles

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SSC-G103/650LEI</b>	SSC-G103 + 650TVL Day/Night Lens	<b>178,50</b>
<b>SSC-G108/650LEI</b>	SSC-G108 + 650TVL Day/Night Lens	<b>183,00</b>





<b>SSC-G113/650LEI</b>	SSC-G113 + 650TVL Day/Night Lens	<b>208,08</b>
<b>SSC-G118/650LEI</b>	SSC-G118 + 650TVL Day/Night Lens	<b>208,08</b>
<b>SSC-G203/650LEI</b>	SSC-G203 + 650TVL Day/Night Lens	<b>213,18</b>
<b>SSC-G208/650LEI</b>	SSC-G208 + 650TVL Day/Night Lens	<b>222,00</b>
<b>SSC-G213/650LEI</b>	SSC-G213 + 650TVL Day/Night Lens	<b>242,76</b>
<b>SSC-G218/650LEI</b>	SSC-G218 + 650TVL Day/Night Lens	<b>241,00</b>
<b>SSC-FB531/LEN</b>	SSC-FB531 + 650TVL Day/Night Lens	<b>306,00</b>
<b>SSC-FB561/LEN</b>	SSC-FB561 + 650TVL Day/Night Lens	<b>326,40</b>

#### Color mini dome fixed analogue cameras

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SSC-N11</b>	Color mini dome analogue camera, indoor, extra compact, 1/3" SuperHAD CCD II sensor, 540 TVL, fixed lens 3mm, electronic Day/Night, 2D Noise reduction, advanced Backlight compensation (iBLC), DC12V.	<b>122,40</b>
<b>SSC-N12</b>	Color mini dome analogue camera, indoor, extra compact, 1/3" SuperHAD CCD II sensor, 540 TVL, fixed lens 6mm, electronic Day/Night, 2D Noise reduction, advanced Backlight compensation (iBLC), DC12V.	<b>122,40</b>
<b>SSC-N13</b>	Color mini dome analogue camera, indoor, extra compact, 1/3" SuperHAD CCD II sensor, 650 TVL, fixed lens 3mm, electronic Day/Night, 2D Noise reduction, advanced Backlight compensation (iBLC), DC12V.	<b>134,64</b>
<b>SSC-N14</b>	Color mini dome analogue camera, indoor, extra compact, 1/3" SuperHAD CCD II sensor, 650 TVL, fixed lens 6mm, electronic Day/Night, 2D Noise reduction, advanced Backlight compensation (iBLC), DC12V.	<b>134,64</b>
<b>SSC-N20</b>	Color mini dome analogue camera, indoor, extra compact, 1/3" SuperHAD CCD II sensor, 540 TVL, 2,8-10,5 mm varifocal lens, electronic Day/Night, 2D Noise reduction, advanced Backlight compensation (iBLC), DC12V or AC24V.	<b>159,12</b>
<b>SSC-N21</b>	Color mini dome analogue camera, indoor, extra compact, 1/3" SuperHAD CCD II sensor, 650 TVL, 2,8-10,5 mm varifocal lens, electronic Day/Night, 2D Noise reduction, advanced Backlight compensation (iBLC), DC12V or AC24V.	<b>171,36</b>
<b>SSC-N22</b>	Color mini dome analogue camera, indoor, extra compact, 1/3" SuperHAD CCD II sensor, 540 TVL, 2,8-10,5 mm varifocal lens, optical Day/Night, 2D Noise reduction, advanced Backlight compensation (iBLC), DC12V or AC24V.	<b>169,32</b>
<b>SSC-N24</b>	Color mini dome analogue camera, indoor, extra compact, 1/3" SuperHAD CCD II sensor, 650 TVL, 2,8-10,5 mm varifocal lens, optical Day/Night, 2D Noise reduction, advanced Backlight compensation (iBLC), DC12V or AC24V.	<b>180,54</b>
<b>SSC-FM531</b>	Color mini dome analogue camera, indoor, Effio-P sensor, 650 TVL, electronic Day/Night, Wide-D, Advanced Backlight compensation (iBLC), 2D and 3D noise reduction, Motion detection, high sensitivity, DC12V or AC24V.	<b>265,20</b>
<b>SSC-FM561</b>	Color mini dome analogue camera, indoor, Effio-P sensor, 650 TVL, True Day/Night, Wide-D, Advanced Backlight compensation (iBLC), 2D and 3D noise reduction, Motion detection, high sensitivity, DC12V or AC24V.	<b>280,50</b>

#### Color mini dome fixed analogue cameras with IR leds embedded

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
--------------	--------------------	----------------------





<b>SSC-YM401R</b>	<b>Fix Dome camera with inbuild IR light , fix lense 3,1mm, 540 TV lines, electronical day/night mode, 12V DC, 0,04 Lux sensitivity at night mode.</b>	<b>130,00</b>
<b>SSC-YM411R</b>	<b>Fix Dome camera with inbuild IR light , fix lense 6mm, 540 TV lines, electronical day/night mode, 12V DC, 0,04 Lux sensitivity at night mode.</b>	<b>130,00</b>
<b>SSC-YM501R</b>	<b>Fix Dome camera with inbuild IR light , fix lense 3,1mm, 650 TV lines, optical day/night mode, 12V DC, 0,04 Lux sensitivity at night mode.</b>	<b>160,00</b>
<b>SSC-YM511R</b>	<b>Fix Dome camera with inbuild IR light , fix lense 6mm, 650 TV lines, optical day/night mode, 12V DC, 0,04 Lux sensitivity at night mode.</b>	<b>160,00</b>
<b>SSC-CM461R</b>	<b>Mini Fix Dome camera with inbuild IR light, 540TV lines, optical day/night mode, f=2,8 to 10,5mm, 0,04Lux s/w mode.</b>	<b>225,00</b>
<b>SSC-CM561R</b>	<b>Mini Fix Dome camera with inbuild IR light, 650TV lines, optical day/night mode, f=2,8 to 10,5mm, 0,04Lux s/w mode.</b>	<b>240,00</b>
<b>SSC-CM565R</b>	<b>Color mini dome camera analogue camera, Effio-E sensor, IR Bullet, 650TVL, TDN, 2.8-10mm, AC24/DC12, IP66, PAL</b>	<b>315,00</b>

#### Color PTZ analogue cameras

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SSC-CR481</b>	<b>PTZ Dome camera, 36 x optical Zoom, optical day/night mode, 550 TV lines, 0,1 Lux min illumination at night mode.</b>	<b>1 140,00</b>

#### Analogue cameras accessories

<i>Index</i>	<i>Description</i>	<i>Price (net) €</i>
<b>SNCA-WMMD1</b>	Wall mount bracket for mini-dome cameras. Accepts SNC-DF70P.	<b>156,00</b>
<b>SNCA-WMMD2</b>	Wall mount bracket for mini-dome cameras. Accepts SNC-DF80P and SNC-DF85P.	<b>163,00</b>
<b>UNI-BBB2</b>	<b>Wall mount bracket for IR camera Accepts SSC-CB565R and SCC-CB575R</b>	<b>158,71</b>
<b>YT-ICB140</b>	In-ceiling Bracket for mini-dome camera. Accepts IP cameras : SNC-DH120, SNC-DH120T, SNC-DH140, SNC-DH140T, SNC-DH220, SNC-DH220T, SNC-DH240, SNC-DH240T.  Accepts Analogue cameras : SSC-FM531, SSC-FM561, SSC-N20, SSC-N21, SSC-N22, SSC-N24, SSC-CM565R	<b>57,00</b>
<b>YT-ICB45</b>	In-ceiling Bracket for mini-dome camera. Accepts SNC-DF50P, SNC-DF80P, SNC-DF85P, SNC-DS10, SNC-DM110, SNC-DS60, SNC-DM160, SNC-DH160, SNC-DH180, SNC-DH260, SNC-DH280.	<b>57,00</b>

